609/14-15

ದಿನಾಂಕ 29.6.ರಿಂದ
22-12-14 ರವರೆಗೆ ಬಿಲ್ಲುಗಳು
260801 ರಿಂದ 260900
ಪುಟಗಳು ಬಿಳಿಕ

Executive Engineer
Byatarayanapura Division
Yalahanka Zone, B.B.M.P.
Bangalore-560092

SBR00-90/15-16
A:29-6-15

BR-97/29-6-15

M. A. R. 57 (Rule 116)
Measurement Book

No. B

260801

Serial No. 1st & final Bill

Name of Work ..... From ..... To .....

Name of Contractor of nature of Agency ..... Gopinath Reddy Contractor

Date of commencement of work ..... D.O. Record: 22/06/2015

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Name of Work : Const of Library building at HMT Layout 1st Block In Ward No. 09 of Vidyaranyapura Sub Division						
	Estimated cost : Rs. 25.00 Lakhs						
	DDB.No : 009-14-00017 [2014-2013-14 WORK]						
	Work order no : EE/BTP/BBMP/E-DMT/06(13166)WO/190/2014-15-Dt 08-01-2015						
	D.O. Commencement : 09-01-2015						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
1)	Earthwork in surface excavation in ordinary soil for leveling of lowering the ground manually (other than foundation of building culverts road, drain and trenches of pipe lines and cables not exceeding 1.50 m excavated stuff not exceeding 50 m off lifts upto 1.50 m, excavated surface levelled and neatly dressed, disposed earth to be levelled after breaking clods complete as per specifications and directions Engineer-In-charge of work.						
		Qty as per MB. p 260 870					27,720.00
		# no - (1) = 198.00 m³ @ 140/m³					

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .
Date of commencement of work .....

Date	Full description, etc, of work
1	2
2)	Earthwork excavation supply, dumping lim or in trenches, 1.50 m not exceeding 1.50 m, in sides of pits and tr clean for edges of bricolage clods co of Engineer-In-charge

K

epth 6	Contents 7	Reference to last Measurement 8
dtd for drgs includg xcvtn of Pipe Staff Wkdoh checked passed Exctn complete Inner Dr chge M.B.P 26.870	27,720.00	

198.00 y^3 @ 140/y^3

M. A. R. 57 (Rule 116)
Measurement Book

No. B

260802

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
27)	Earthwork Excavatn for foundns of buildngs, water supply, drainage lines and electrical conduits either in pits or in trenches, 1.50m and above in Width, in hard soil, including not exceedg 1.50m, in depth including dressing the bottom and sides of pits and trenches, shifting the excavated soil clear from edges of excavatn 0.5m and upto 50m, after breaking clods complete as per specifn conditns and directns of Engineer-In-charge of work.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
			Oty side this MB. p. 26087)				
			# No. ① = 272.944 m³ @ ~~223.66~~ 250.00 / m³			68235.00	
37)	Providing and laying in position plain cement concrete of mix 1:4:8 with ope cement @ 180 kg with 40mm and down size graded granite metal coarse aggregate @ 0.85 m³ and fine aggregate @ 0.57 m³ machine, mixed concrete laid in layers not exceeding 150mm thick well compacted, in foundations and plinths, including costing all materials, labour, Hiring machinery, curing complete as perspecifications and directions of Engineer-in-charge of work.						
			Oty side this MB p. 26087-2				

M. A
Me

Serial No. .....
Name of Work ..... From
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number
1	2	3
		#
47)	Providing and constructing grou mang in foundations with c. in courses not less than 20c apart in each course inclu curing etc complete as pe Enginee. In. charge of wor for. foundns	

OK

Depth 6	Contents 7	Reference to last Measurement 8
		his MB. p. 26087/1
		272.944 m³ @ ~~223.66~~ 250.00/m³ 68235.00
		concrete of
		m down and
		aggregate 0-25
		mixed concrete
		well compacted,
		all materials, labour,
		as per specifications.
		ork.
		his MB p. 26087/2

M. A. R. 57 (Rule 116)
Measurement Book

No. B

260803

Serial No. ..... From..... To.....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
		If no (1) =		91.704 m	@ 44 cm	m³	40,348.00
47	Providing and constructing granite/trap/basalt stone masonry in foundations with c.m 1:6, stone hammer dressed in courses not less than 20 cm high, bond stone at 2m apart in each course including costs of material, labour, cutting etc complete as per specifications and directions of Engineer. In charge of work.						
	for foundations						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	All Round 1st step	1	80.30	0.75	0.45	27.15	
	c/L (2×24.45+2×15.7)	1	14.95	0.75	0.45	5.05	
	= 80.30	1	6.05	0.75	0.45	2.04	
	Cross-wall	1	19.15	0.75	0.45	6.47	
	Verandah. 2×4.85+10.20						
	= 19.90 − 0.75						
	All round − 2nd Step	1	80.30	0.60	0.45	21.65	
	Cross-wall	1	15.10	0.60	0.45	4.08	
	Cross-wall	1	6.20	0.60	0.45	1.67	
	Verandah	1	19.30	0.60	0.45	5.21	
		2	4.20	0.60	0.60	3.02	
		1	0.75	0.60	0.65	0.29	
	Lift-Room	2	3.30	0.75	0.85	3.96	
		2	1.50	0.75	0.85	1.91	

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Nu
1	2	
	Steps	
	deduct Cum. cost Survey	
5)	Providing and constructing g	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

260804

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	3.40	0.60	0.80	2.88	
		2	1.50	0.60	0.80	1.44	
	Steps	1	5.20	1.50	0.40	2.34	
		1	5.30	0.60	0.20	0.64	
		1	5.30	0.30	0.20	0.32	
						90.01	
	deduct Calm.	23	0.30	0.45	0.90	2.79	
	cost					87.24	
	Survey						
		@ 3600/m			Under	87.03	313308.00
57	Forming and constructing granite/trap/basalt					@ Rs stone	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	masonry in basement with cement mortar 1:6 Edges of stone chiselled dressed in courses not less than 15cm high, bond stone at 2m in apart in Each course including costing material, labour, conveyance etc complete as per specifications and direction of Engineer-in-charge of Work.						
	Basement All Round						
	(2×24.45+2×15.70) = 80.30	1	80.30	0.45	0.45	16.28	
		1	15.25	0.45	0.45	3.09	
		1	6.35	0.45	0.45	1.29	
	veranda :- 2×4.80+10.20	1	19.45	0.45	0.45	3.94	
	= 19.90-0.90	2	4.50	0.45	0.45	1.70	

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	deduct cost thereof
⊗	Providing and laying in mortar 1:5 with opc

OK

Depth 6	Contents 7	Reference to last Measurement 8
mortar 1:6 Edges		
less than 15mm		
ch course including		
plete as per		
-in-charges		
0.45	16.20	
0.45	3.09	
0.45	1.29	
0.45	3.94	
0.45	1.70	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

260805

Serial No. ..... From..... To.....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		1	0.95	0.60	0.45	0.26	
						26.53	
	deduct	2	0.30	0.45	0.45	1.40	
	cft	4	0.20	0.45	0.45	0.14	
						24.99	
					Add	24.40	
						4200/4	102480.00
	Providing and laying in position plain cement concrete in 1:2:4 mix with opc cement @ 300 kgs per cum					20 cum	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	and down size graded granite metal Coarse aggregate 0.6cm and fine aggregate 0.3cm with super plasticizer @ 3% Confirming to IS 9103 - 1999 Reinforced 20% modified mixed concrete laid in layers not exceeding 15cm thick well compacted in foundations and plinth and sills, including costing all material, labour, tools, machinery complete as per specification and direction of Engineer-In-charge etc.						
	All-Round	1	80.30	0.45	0.15 -	3.6	
		4	15.25	0.45	0.10 -	0.68	

Serial No. .....

Name of Work ..... F

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Numb
1	2	3
	Verandah.	
	Cross-wall	
	flagging. Course - All Round	

OOK

dth	Depth 6	Contents 7	Reference to last Measurement 8
		tal Course aggregate	
		d 3/4" Metal Super	
		03 - 1999 Reaffirmed	
		ing layer not exceeding	
		undations and plinth	
		ial, labour, Hire ch	
		specifications a/l	
		the work.	
.45	0.10	- 3.61	
.45	0.10	- 0.63	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

260806

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Verandah.	1	8.35	0.45	0.10 -	0.38	
	Cross-wall	1	19.45	0.45	0.10 -	0.88	
		2	4.20	0.45	0.10	0.38	
		1	0.95	0.45	0.10	0.04	
		1	26.45	0.90	0.10	2.38	
	flagging. Course. All Round	2	15.50	0.90	0.10 -	2.79	
		1	26.45	0.90	0.10 -	2.38	
						13.43 M	
	Cutting				Lump	12.81 M	52524.00
	Summary				e	41.00/M	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
4)	filling available Excavated Earth (Excluding Rock) in sides of foundations upto plinth in layers not exceeding 20 cms. in depth, Compacting each deposited layer by ramming after watering with hand rammers including lifting upto 1.5m including consolidating lead upto all leads complete as per specifications and directions of Engineer-In-charge of work.						
	Qty as per M.B. no. (2)						
	= 272.44+3e11-0 / m						30023.00
5)	Providing Rubble Soling to required shape and						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	C.m 1:3, 20mm deep 20mm nicely laying, curing etc complete as Engineer. In-charge

Sd/-
Sanjeev

OK

Depth 6	Contents 7	Reference to last Measurement 8
dg Rubble in not exceeds ked layer by and lift upto complete as In-charge of no. ② ge 1140/m measuring with		30023.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B 260807

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	C.m 1:3, 20mm deep after raking joints to depth of 20mm neatly finishing, including carriage material, labour, complete complete as per specifications and directions of Engineer. in-charge of the work.						
		2	24.70	-	0.45	22.23	
		2	16.00	-	0.45	14.49	
		1	5.00	-	0.45	2.25	
						38.97 43	3256.00
		@ 9[illegible].00/m			Add to	36.184 7	

Chk
Surveyor

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
9)	Providing and constructing precast concrete dobbed blocks with compressive strength not less than 35 kg/cm2 with cm 1:4 mortar (quoin, jamb, closer blocks) with dobbed concrete blocks of size 40×20×20cm conforming to IS/1235/1965 in superstructure including cutting materials, labour charges, hoisting, cutting complete as per specifications and direction of Engineer in charge of the work.						
	Long wall	1×2	24.65	-	2.70	133.11	
	Short wall	1×3	15.50	-	2.70	125.55	

Cde FC

29/6

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರ

Serial No. .....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	N
1	2	
	Cross-wall	
	Torch	
	Stair Room	
	Lift Room	
	Ditch Room	
	parapet wall	

OOK

h	Depth 6	Contents 7	Reference to last Measurement 8
		rd dobd blocks	
		m 35 kg/m2	
		dpace blocks)	
		ion 20 x 20 cm	
		ne including curing	
		ing ck complete	
		Engineer in charge	
	2.70	133.11	
	2.70	125.55	

C&FC

29/6

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತ

M. A. R. 57 (Rule 116)
Measurement Book

No. B 260808

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Cross-wall	1	6.60	-	2.70	17.82	
	—	2	4.45	-	2.70	24.03	
	Porch	1	1.35	-	2.70	3.51	
	Stair Room	1	3.60	-	2.70	9.72	C&FC
		1	4.90	-	2.70	13.23	
	Lift Room	1.2	2.10	-	2.70	11.34	29/6
		1	1.80	-	2.70	4.86	
	Toilet Room	2	2.00	-	3.00	12.00	ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
	parapet wall	2	24.65	-	0.75	34.51	
		2	14.50	-	0.70	20.30	
		2	4.50	6	0.70	6.30	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
					Total	419.28	
	Deductions for D & W openings.						
a)	D	1	1.50	-	2.10	3.15	
	M	1	1.20	-	2.10	2.52	
	D3	3	0.25	-	2.10	4.73	
	W	17	1.50	-	1.80	45.90	
		1	1.50	-	1.25	1.88	
		1	1.50	-	1.50	2.25	
	V	3	0.90	-	0.60	1.62	
b)	Lintel - All Rows	1	80.30	-	0.20	16.06	
		1	6.60	-	0.15	0.99	
c)	Columns	20	0.30	-	2.70	16.20	
					Total ded	95.30 m³	

Net qty = 419.28 − 95.30 = 323.98 m³ @ 1010/m³

Net = 322.57 m³

3,25,796.00

C&FC

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು

M. A.
Mea

Serial No. .....
Name of Work ..... From.
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number
1	2	3
1)	Providg and layng in p° cr of design mix M.2 lg with 20m and down s Coarse aggregate @ 0.87 0.475 with Superplaste 9103-1993 reaffirmed-20 Load in layer not exceedg all Works in foundati	

OOK

dth	Depth 6	Contents 7	Reference to last Measurement 8
		419.28	
	2.10	3.15	
	2.10	2.52	
	2.10	4.73	
	1.80	45.90	
	1.25	1.88	
	1.50	2.25	
	0.60	1.62	
	0.20	16.08	
	0.10	0.99	
	2.70	16.20	
		95.30 m²	

c&FC

3,25,796.00

419.28 − 95.30 = 323.98 m²

@ 1010/m²

M. A. R. 57 (Rule 116)
Measurement Book

No. B

260809

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
1st)	Providg and layng in position reinforced cemnt concrete of design mix M.20 with OPC cement @ 320 kg/m³ with 20mm and down size graded granite metal coarse aggregate @ 0.87 m³ and fine aggregate @ 0.45 m³ with Superplasticizer @ 3% conforming to IS 9103-1999 reaffirmed-2008, making mixed concrete laid in layers not exceeding 150mm thick vibrated for all works in foundation, plinth and GF level for						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Roof slabs, staircase, lintels, retaining walls, sch. Walls (any thickness) including attached plasters columns, anchor blocks, plain window sills, fillets including costing all material, labour, hiring of machinery, complete as per specifications and directions of Engineer-in-charge of the work.						
a)	Colun. footings	23	2.40	2.40	0.60	55.20	
b)	outer columns	14	0.30	0.60	4.20	10.58	
c)	Inside Colums	6	0.30	0.45	4.20	3.40	
d)	verandah Colums	3	0.23	0.45	4.20	1.30	
e)	Oil Round plinth	1	80.30	0.30	0.45	10.84	

Bay

c&FC

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯ

M. A.
Mea

Serial No. .....
Name of Work ..... From.
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number
1	2	3
	CRun-wall	1
	— " —	1
	verandah	1
	Lift column footings	4
	cuff	4
	Lintel	
11)	Ready mix layings for pavi of mix. M.20 with	

OK

Depth 6	Contents 7	Reference to last Measurement 8
	Walls, sch	
	plaster c	
	Cills, finish	
	ng machy,	
	es and dirains	
0.60	55.20 m³	C&FC
4.20	10.58	
4.20	3.40	
1.20	1.30	
0.45	10.84	ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂ
	ಕ	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 260810

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Crum-wall	1	15.50	0.23	0.40	1.43	
	— " —	1	6.60	0.23	0.40	0.61	
	Verandah	1	19.30	0.23	0.40	1.78	
	1:6 for column footings	4	1.20	1.20	0.45	2.59 m³	
	cuft	4	0.20	0.45	3.00	0.81 c	
	Rinsing					85.09 m³	
					Add	84.94 m³	
					c	5810/m³	
11)	Provdg of layings for pavements reinforced cement concrete with of mix. M.20 with OPC cement c					with	

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತ

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	12mm and down size graded metal coarse aggregate @ 0.5175 m³ and fine aggregate @ 0.345 m³ with superplasticizer @ 0.225 kg machine mixed well compacted for plain slabs of 7.5cm average thickness wherever necessary complete as per design curing etc complete as per the directions of Engineer-In-charge of work.						
	Slabs	1	2.50	-	0.50 x	1.00 m²	
		1	0.90	-	0.50 x	0.45	
						1.45 m²	605.00
12)	Providing TMT steel Reinforcement for RCC work						

Serial No. .....
Name of Work ..... F
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Numb
1	2	3
	including straightening, cu in position, lapping and tying with binding wire, member wherever ne (laps, hooks and bend and providing cutting w machining etc TMT as per specifications and	

BOOK

dth	Depth 6	Contents 7	Reference to last Measurement 8
		...rete coarse	
		...gregate e 0.3	
		...Hp machine	
		...ing charges of 7.5	
		...essary complete	
		...as per the direction	
		0.50 x 1.45 x 2	
		0.50 x 0.45	
		1.45 m2	605.00
		e 420/m2	
		for Rec Work	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 260811

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	including straighting, cutting, bending, hooking, placing in position, tapping and or welding wherever required tying with binding wire, and anchoring to the adjoining member wherever necessary complete as per design (laps, hooks and bantage) shall not be measured and paid Costing materials labour, Hoisting machinery etc. Time basis for 500 etc complete as per specifications and directions of Engineer-in-charge						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	of the Work.		Qty as per this MB				
			P.No: 26087542 ④ = 102.01 Qty				
						@ 7800/Qty	7,75,276.00
						Total Rs.	25,96,201.00
	Certificate						
	① Certified that the contractor work done satisfactorily.						
	② The contractor Removed the debris by						
	Work Sft.						

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency ....
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	Outer Cubs 0.30 x 0.60m
	10'3
	12.4.95

BOOK

ions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
as per this MB			
= 2608.75 sft (9) = 102.01 Qtl			
@ 7800/Qtl		7,75,276.00	
Total Rs.		25,96,201.00	
work done			
the delay by			

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

M. A. R. 57 (Rule 116)
Measurement Book

No. B 260812.

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency ..... LIBRARY BUILDING AT HMT - 2nd Block
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth	Depth 6	Contents 7	Reference to last Measurement 8
	Outer Colm 0.32 0.60m						Room (1)+(2) 2.52×4.45=7 9.22×2.10=7 NOTE
	Inner Colm 0.32 0.60m						Building Construction upto Roof level i.e. fund^n, Wall Columns upto Roof level
	17.55×15.50m						
	10'3						
	6.4.88						
	Room 2						
	Room (1)						
	Slab						
	6.6×10.30m						

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

MEASUREMENT BOOK

SBA no - 89/15-16
Dt: 29-6-

Serial No. 2nd and final Bill
Name of Work .....
Name of Contractor of nature of Agency ....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2,96,200=00 35,8466= 2,37,734=00 Shri Mahadeshwara Hv.L Dt 10/2			IT - 25962 WT - 103848 FD - 168753 WC - 25962 CSF - 2596 Roy - 31345 TOTAL - 358466=00			

Date	Full description, etc, of work
1	2
	Name of Work :- Estimated Cost Rs. JOB. NO =